
FlexStyle® Cassette Battery







FSTYL CASS BA24	
Please check all appropriate selections and attach room	n schedule with verified dimensions.
Fabric Series:	n schedule with verified dimensions.
Color Name / Number:	END END
Openness Factor:	- analytis
Please see Draper® Fabric Options for fabric colors and specifications.	MOUNTING BRACKETS MOUNTING BRACKETS AGUSH AGUSH
Select Hardware Finish	CHI BLOCK BRUS
Fabric covered (open bottom ONLY) Yes No Select Hardware Color Black White Taupe Warm White Grey Textured Bronze Select Hem Bar/Slat Style Open Pocket (Standard) Closed Pocket (1" (25mm) Elliptical) Exposed Hem Bar Small Flat Exposed Hem Bar Large Flat Exposed Hem Bar Round Exposed Hem Bar Round Exposed Hem Bar Back White Taupe Warm White Grey Textured Bronze Clear Anodized (not painted)	CASSING MAGNETIC MAGNETIC MAGNETIC CABLE CABLE
Select Cassette Options	minuli
□ Square	Alui
□ Curved	
Open Bottom ☐ Yes ☐ No	
Select Motor Options	Available Sizes:
☐ Standard Li-Ion rechargeable motor	WIDTH: 3' 4' 5' 6' 7' 8'
☐ Ultra Quiet Li-Ion rechargeable motor	21
Select Motor Location (front view) ☐ Right (standard) ☐ Left	3' 4'
Select Control & Accessory Options For specific control option, indicate Draper Part Nuvvvmber(s) in the space provided.	H 7'



☐ Handheld Remote Part number: □ Wireless Wall Switch Part number:

☐ Top Light Block Brush

☐ Accessories (consult DraperInc.com)

Draper, Inc. | 411 S. Pearl St. Spiceland, IN 47385 draperinc.com | 765.987.7999 | 800.238.7999 © 2024 All Rights Reserved | FORM: FlexStyle_Cassette_BA_Sub24

WID	TH:	3'	4'	5'	6'	7'	8'
	2'						
	3'						
	4'						
⊢ 5'	5'						
HEIGHT	6'						
뽀	7'						
	8'						
	9'						
	10'						

^{*} Sizes will vary according to fabric.

PROJECT:		
ARCHITECT:		
CONTRACTOR:		
SUPPLIER:		
DATE:	REVISED:	

FlexStyle® Cassette Battery

Specifications

FLEXSTYLE CASSETTE BATTERY SHADING SYSTEM: Battery operated, motorized, vertical roll-up, fabric shading system. Ships fully assembled and includes motor operator, controls, cassette, mounting brackets, and other components necessary for complete installation. FlexStyle Cassette Battery as manufactured by Draper®, Inc.

BATTERY OPERATOR:

RTS BATTERY LI-ION BATTERY MOTOR: Battery powered motor with built-in radio receiver. No external wiring required. Tubular motor and battery concealed inside each shade roller tube. Magnetic charging port with charging cable.

ULTRA QUIET RTS LI-ION BATTERY MOTOR: Battery powered motor with built-in radio receiver. No external wiring required. Tubular motor and battery concealed inside each shade roller tube. Magnetic charging port with charging cable.

MOTOR LOCATION: Right hand: standard; Left hand: as scheduled.

CASSETTE: Ships fully assembled. Constructed of extruded aluminum. Can be wall or ceiling mounted. No fasteners visible from below, front, or slightly above. Curved or Square shape available.

FINISHES AVAILABLE: Black, White, Taupe, Warm White, Grey, or Textured Bronze. Fabric covered cassette also available (without bottom closure only).

MOUNTING BRACKETS: Spring-loaded wall or ceiling mounting brackets of plastic and steel. A minimum of two required per cassette. More may be required at the manufacturer's discretion.

ROLLER: Fabricated from extruded aluminum. Wall thickness and diameter selected by manufacturer to accommodate shade size.

FABRIC CONNECTION TO ROLLER TUBE: Fabric panel is attached with double-sided adhesive (LSE) specifically developed to attach coated textiles to metal to the roller tube at the top, and to the hem bar at the bottom. Adhesive attachment to eliminate horizontal impressions in fabric.

HEM BAR:

CLOSED POCKET ELLIPTICAL SLAT: 1 inch (25mm) aluminum elliptical slat inside of a 1 % inch (41mm) pocket with heat sealed ends.

OPEN POCKET ELLIPTICAL SLAT: 1 inch (25mm) aluminum elliptical slat with plastic ends inside of a 1 % inch (41mm) pocket.

FLAT EXPOSED HEM BAR: Small: % inch x % inch $(22mm \times 8mm)$ aluminum rectangular hem bar with plastic endcaps.

LARGE EXPOSED HEM BAR: 1 ½ inch x % inch (38mm x 8mm) aluminum rectangular hem bar with plastic endcaps.


ROUND EXPOSED HEM BAR: Small % inch (16mm) and Large 1% inch (21mm) aluminum with plastic endcaps.

DOWNLOADABLE 3-PART SPECIFICATIONS:

www.draperinc.com

Please note: Dimensions of rollers, operators, and hardware at manufacturer's discretion.

Cassette Dimensions



Shade Dimensions

