

9000 Commerce Parkway, Ste B Mount Laurel, NJ 08054 Phone: 856-231-9449

Fax: 856-231-9818 TF: 877-428-4285

CERTIFICATE OF ANALYSIS

Client: Indiana Coated Fabrics Report Date:

PO Box 1017 **Report Number:** 324657

Warsaw IN 46580 **Project:** 4 Ply Laminated Fabric

Project No.: 12814

2/7/2014

SAMPLE ANALYSIS SUMMARY

			Lead (Pb) Content		
<u>Lab No.</u>	Client No.	<u>Description / Location</u>	<u>(%)</u>	<u>(ppm)</u>	Comments
5222884	1	Lead Materials	< 0.0039	<39	

US CONSUMER PRODUCTS SAFETY COMMISSION LABORATORY ID No. 1135

ISO/IEC 17025:2005

Analytical Method: Lead in Paint by 16 CFR Part 1303 (3/25/09)

 $Lead in \ Children's \ Metal \ Jewelry \ by \ CPSC \ Test \ Method \ CPSC-CH-E1001-08 \ (3/25/09)$

ASTM E1613-04 Standard Method for the Analysis of Lead by Atomic Absorption Spectrophotometry (AAS)

Meets the requirements of ASTM D4834-03 Detection of Lead in Paint by Direct Aspiration AAS.

Comments: IATL assumes that appropriate sampling methods were used and that the data upon which these results are based, has been accurately supplied by the

client. Method Detection Limit (MDL) per EPA Method 40 CFR Part 136 Appendix B. Reporting Limit (RL) based upon Lowest Standard Determined (LSD) in accordance with AIHA-ELLAP policies. LSD=0.2 ppm MDL=2.2 ppm RL=10 ppm (based upon 1000 mg sampled). Mg/kg=ppm

* = Insufficient sample provided for QC analysis. ** = Insufficient sample for analysis. *** = Sample substrate may result in a low bias.


This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA or any agency of the U.S. government.

Date Received: 2/1/2014

Date Analyzed: 2/7/2014

Analyst: M. Stewart

Approved By:



Frank E. Ehrenfeld, III Laboratory Director